

A. Jayson Tengonciang, DMD Inc

3737 Moraga Ave # B 313 - San Diego, CA 92117 T 858.270.2760 F 858.270.2871 clairemont.endodontics@gmail.com
www.clairemontendodontist.com

Endodontic Excellence through Technological Advances and Personalized Care

Home Care Instructions After Root Canal Treatment

- Do not drink for the first 30 minutes following your appointment. We suggest to not eat until you are no longer numb to avoid you biting your tongue or cheek, and because the temporary filling that was placed takes about 30 minutes to set.
- After 30 minutes, please take 3 Ibuprofen tablets (that we provide) AND 2 Acetaminophen tablets (total of 5 tablets). Again, you can take these tablets if need be.
- It's normal to experience some discomfort for several days after a root canal therapy appointment, especially when chewing. It is not uncommon for a tooth to be uncomfortable or even exhibit a dull ache immediately after receiving root canal therapy. This should subside within a few days. We do recommend over the counter pain medicine such as ibuprofen (Motrin, Advil, Nuprin) or Naproxen (Aleve, Anaprox).
- **Your tooth and surrounding gums may be tender or painful for 5-7 days because of endodontic treatment. The tenderness you may feel usually stems from inflammation. Again, this is normal and is no cause for alarm.**
- **If you experience any gum irritation, we strongly recommend warm saltwater rinses as needed.**
- After the numbness wears off, you may eat and drink as you see fit. However, please favor the opposite side when chewing until you have the final restoration completed by your dentist. To protect and help keep your temporary filling in place we highly encourage you not to eat ice, nuts, or anything crunchy, sticky and/or chewy to avoid a possible fracture on the tooth worked on.
- Once your root canal is complete, it is *particularly important* to contact your dentist within the next 1-3 days to schedule an appointment for the final restoration. The final restoration will protect your root canaled tooth from any decay and/or fracture.
- The temporary filling placed is meant to last up to 30 days, so we recommend scheduling your final restoration 30 days after your visit with us. **Delay in obtaining final restoration may result in fracture and/or possible loss of the tooth.**
- You may continue your regular brushing and flossing unless instructed otherwise.
- **If you have a flare-up, you may experience moderate to severe pain, swelling (can get as large as a golf ball), bruising, throbbing, and/or any other discomfort that isn't manageable with over-the-counter medications. This usually occurs within the first 24-48 hours.** Please contact our office if you experience any of these symptoms and we will do everything we possibly can to get you some relief. You may be prescribed antibiotics, stronger pain medication, a steroid, and/or you may be asked to come to the office to receive further therapy. Should you experience any of these symptoms after hours you may call the office and leave a voicemail. **Please include name, date of birth and preferred pharmacy.**

A full report with your pre- and post-operative x-rays will be sent to your dentist. If you have any questions, do not hesitate to call our office. We waive the cost for replacement of temporary filling, exams, or x-rays regarding the same tooth we evaluated for up to a year.